

L Number	Hits	Search Text	DB	Time stamp
1	116	witherspoon.in.	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:20
2	1	witherspoon.in. and 385/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:20
3	11	("5179609" "5257332" "5259054" "5362976" "5550088" "5600741" "5647044" "5781331" "5793919" "5923451" "5990473").PN.	USPAT	2004/02/26 17:21
4	11	("5179609" "5257332" "5259054" "5362976" "5550088" "5600741" "5647044" "5781331" "5793919" "5923451" "5990473").PN.	USPAT	2004/02/26 17:23
5	1	6477303.URPN.	USPAT	2004/02/26 17:23
6	419	438/27,29-31,65.ccls. and (trench\$4 \$3groov\$4 notch\$4 knotch\$4 slit\$4) and pd@>20031010	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:27
7	40	438/27,29-31,65.ccls. and (trench\$4 \$3groov\$4 notch\$4 knotch\$4 slit\$4) and @pd>20031010	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:28
10	1514	385/40,2,9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)	USPAT; US-PGPUB; EPO; JPO	2004/02/26 18:45
11	807	385/49.ccls. and (trench groove grooved trenced notch notched knotch knotched slit cut slice)	USPAT; US-PGPUB; EPO; JPO	2004/02/26 18:45
12	684	(385/49.ccls. and (trench groove grooved trenced notch notched knotch knotched slit cut slice)) not (385/40,2,9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice))	USPAT; US-PGPUB; EPO; JPO	2004/02/26 18:46
13	70	4732446.URPN.	USPAT	2004/02/26 20:02
-	3687	385/40,2,9,11,50,122.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/06/15 17:12
-	1345	385/40,2,9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)	USPAT; US-PGPUB; EPO; JPO	2004/02/26 18:45
-	5018	385/40,1-9,11,50,122.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/06/15 17:13
-	1402	(385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))	USPAT; US-PGPUB; EPO; JPO	2003/06/18 15:32
-	189	"trench electrode"	USPAT; US-PGPUB; EPO; JPO	2003/06/15 19:03
-	0	"trench electrode" and waveguid3e	USPAT; US-PGPUB; EPO; JPO	2003/06/15 19:03
-	7	"trench electrode" and waveguide	USPAT; US-PGPUB; EPO; JPO	2003/06/15 19:03
-	338	((385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))) and @pd<19901010	USPAT; US-PGPUB; EPO; JPO	2003/06/16 09:18

-	1402	(385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))	USPAT; US-PGPUB; EPO; JPO	2003/06/16 09:45
-	1407	(385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))	USPAT; US-PGPUB; EPO; JPO	2003/06/18 15:33
-	811	(385/14.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))	USPAT; US-PGPUB; EPO; JPO	2003/06/18 15:34
-	585	((385/14.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad))) not ((385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotched slit cut slice)) and (electrode electric electrical volt voltage wire wired wire-bond wire-bonded wire-bonding pad contact-pad bonding-pad "bonding pad" (bonded near2 pad)))	USPAT; US-PGPUB; EPO; JPO	2003/06/18 17:01
-	17	5521992.URPN.	USPAT	2003/06/19 14:24
-	14	("4732446" "4926545" "5101460" "5123066" "5125054" "5159700" "5170448" "5200631" "5208879" "5222175" "5249245" "5268973" "5271083" "5282071").PN.	USPAT	2003/06/19 14:31
-	9	4884112.URPN.	USPAT	2003/06/19 15:43
-	1	"5835646".PN.	USPAT	2003/06/27 10:04
-	379	"pbs" WITH detector	USPAT; US-PGPUB; EPO; JPO	2003/06/27 13:28
-	197	("pbs" WITH detector) and plate	USPAT; US-PGPUB; EPO; JPO	2003/06/27 13:29
-	61	((("pbs" WITH detector) and plate) and fiber	USPAT; US-PGPUB; EPO; JPO	2003/06/27 13:29
-	10	((("pbs" WITH detector) and plate) and waveguide	USPAT; US-PGPUB; EPO; JPO	2003/06/27 13:32
-	8	"4117329"	USPAT; US-PGPUB; EPO; JPO	2003/06/27 14:00
-	1	"3109097".PN.	USPAT	2003/06/27 13:33
-	39	"expanded core fiber"	USPAT; US-PGPUB; EPO; JPO	2003/06/27 14:02
-	8	"expanded core optical fiber"	USPAT; US-PGPUB; EPO; JPO	2003/06/27 14:45
-	1	wo00/02072	USPAT; US-PGPUB; EPO; JPO	2003/06/27 14:48
-	8	("6115514" "6215917" "5119448" "20020172463" "6008927" "20020067906" "5550941" "6064780").pn.	USPAT; US-PGPUB; EPO; JPO	2003/06/27 15:10

-	3	("6608950" "5546483" "6445837").pn.	USPAT; US-PGPUB; EPO; JPO	2003/10/31 13:03
-	175	257/432,e31.11.ccls. and (trench\$4 \$3groov\$4 notch\$4 knotch\$4 slit\$4)	USPAT; US-PGPUB; EPO; JPO	2003/11/01 11:40
-	1173	257/432,e31.11.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/10/31 20:31
-	98	(385/\$.ccls. 438/\$.ccls. 257/\$.ccls.) and (lock with key)	USPAT; US-PGPUB; EPO; JPO	2003/11/01 11:36
-	1483	438/27,29-31,65.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/11/01 11:39
-	384	438/27,29-31,65.ccls. and (trench\$4 \$3groov\$4 notch\$4 knotch\$4 slit\$4)	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:24
-	1	6445837.pn.	USPAT; US-PGPUB; EPO; JPO	2003/11/01 12:40
-	1	6456766.pn.	USPAT; US-PGPUB; EPO; JPO	2004/02/25 16:46
-	4	6456766.URPN.	USPAT	2004/02/25 16:46
-	1918	385/40,1-9,11,50,122.ccls. and (trench groove grooved trenched notch notched knotch knotted slit cut slice)	USPAT; US-PGPUB; EPO; JPO	2004/02/26 17:20